# **Rebuild Grinders**

Centerless Grinder

4520C



Rebuilding

Manufactured in 1995

G.W. O.D.: Max.  $\phi$  455 mm Width: Max. 205 mm

Grinding method: In-feed/

Through-feed

Grinding range :  $\phi 1 \sim \phi 40$  mm

Half-year warranty

Centerless Grinder

**KC400** 



Rebuilding

Manufactured in 1991

G.W. O.D. : Max.  $\phi$  610 mm Width : Max. 405 mm

Grinding method : In-feed/

Through-feed

Grinding range :  $\phi$ 3 ~  $\phi$ 120 mm

Half-year warranty

Double Disc Grinder

**KVD300** 



Rebuilt machine

Manufactured in 2008

G.W O.D. : Max. φ 305 mm

Thickness : Max. 50 mm
Rotaional speed : Max. 1,500 min<sup>-1</sup>

Grinding method : Contact us for details.

O.D. : Max.  $\phi$  50 mm

Thickness: Max. 50 mm

Half-year warranty

A rebuild machine is a machine that overhauls an old machine or an unused machine that we have taken over.

\* The machine phto is an image. Contact us for more details.

The next page is the "Surface Grinder "and " Internal Grinder ".

#### JTEKT MACHINE SYSTEMS CORPORATION

# **Rebuild Grinders**

### Single Disc Grinder

R632



#### Rebuilt machine

Manufactured in 1997

G.W. O.D. : Max.  $\phi$  305 mm

Thickness : Max. 50 mm

Rotational speed : Max.1,500 min<sup>-1</sup>

Grinding O.D. : Max.  $\phi$  125 mm

range Thickness : Max. 35 mm

Half-year warranty

### Double Disc Grinder

HD5



#### Rebuilding

Manufactured in 1990

G.W O.D.: Max. φ 585 mm

Thickness: Max. 50 mm

Rotaional speed: Max. 900 min<sup>-1</sup>

Grinding O.D.: Max. φ 150 mm

range Thickness: Max. 50 mm

Half-year warranty

### Double Disc Grinder

HD3C



## Rebuilding

Manufactured in 2007

G.W O.D. : Max. φ 305 mm

Thickness : Max. 50 mm

Rotaional speed : Max. 1,740 min<sup>-1</sup>

Grinding O.D. : Max. φ 50 mm

range Thickness : Max. 25 mm

Half-year warranty

## Contact Us

Overseas Sales Department

2-34 Minami Uematsu-Cho Yao-City,Osaka 581-0091 Japan

Phone: 81-72-922-7010

Please also use the inquiry form on our website.



- •Some of our products are strategic products as defined in the Foreign Exchange and Foreign Trade Law of Japan. Export of those products requires an export license from the Japanese Government.
- •All technical descriptions and specifications are subject to revision or correction without prior notice.